


SIDE ELEVATION SIDE ELEVATION



REAR ELEVATION



FRONT ELEVATION

GENERAL

All dimensions are in millimetres unless otherwise specified.

Drawings are not to be scaled only figured dimensions to be used. The contractor must check and verify all dimensions before commencement of any work. Any discrepancies to be clarified with the Project Architect.

CONSTRUCTION

All slab at ground level to be poured over 1000 gauge polythene sheet on 50mm thick murram blinding

All soil under slab around and under foundation to be poisoned for termite control.

All soil on cut embarkment to be stabilized. The slope not to exceed the natural angle of repose. STRUCTURAL

All black cotton soil to be removed from all buildings and paved surfaces. For all R.C. works, refer to structural engineer's details.

Depth of foundation to be determined on site to S.E.'s approval. All walls less than 150mm thick to be reinforced loop iron at every alternate course. All adjacent R.C. work and masonery walls to be tied with strip iron at every alternate course.

All plumbing and drainage to comply with relevant local authority SVP denotes soil vent pipe to be provided at the head of the drainage system Drains pass beneath buildings and driveways to be encased in 150mm concrete surround. The storm drain pipes to comply with BS 556 specification. All underground foul and waste drain pipes will be uPVC to comply with BS 5255. All inspection chambers covers and framing shall be cast iron.

Minimum slope in the drain pipes to be 1 in 100. No chases will be allowed for pipes. Sleeves will be allowed with written approval of structural Eng's. No cutting of concrete without express approval of the Architect or Structural Engineer.

All testing of pipes must be completed before plastering. All mechanical works must be co-ordinated with electrical and any conflict must be clarified before work

PV denotes permanent ventilation

ELECTRICALS

All conduits must be laid before plastering.

REVISIONS

PROPOSED KERICHO TOWNSHIP TECHNICAL TRAINING INSTITUTE AT AINAMOI, KERICHO

DRAWING TITLE PROPOSED TWIN WORKSHOP, CLASSROOMS & OFFICES' BLOCK

FOLIO NO.

APPROVED

Client Ministry/Department

MINISTRY OF EDUCATION, SCIENCE AND TECHNOLOGY

DRG NO. PROJECT JOB NO.

COUNTY WORKS OFFICER APPROVED DATE.... Designed &

Drawn By M.K.MITEI Proj. Arch Arch Sang J . K MINISTRY OF

LANDS, HOUSING AND **URBAN DEVELOPMENT** DIRECTORATE OF PUBLIC WORKS -NAKURU COUNTY FOR THE GOVERNMENT OF

THE REPUBLIC OF KENYA.



FEB, 2016

FEB, 2016